

Leica Geosystems Release Notes

Product: Leica Cyclone 3DR 2021.0.1
Date: 1 February 2021
From: HDS Software Product Management



Contents

What's New	2
Improvements.....	2
Bug Fixes.....	2
Leica Cyclone 3DR 2021.0 Compatibility	2
Recommended Computer Specifications	2
Installation and Licensing Recommendations	3
Installation update Procedure	3
Licensing Setup.....	3
Licensing	7
Known Issues	8
Leica Cyclone 3DR supported file formats	9

What's New

This is a minor release including bug fixes for stability.

According to the maintenance expiration date policy, users under maintenance on August 1st, 2020 may access version 2020.1 and version 2021.0 with no new license required.

Improvements

- **Import > DXF and DWG Files:** Triangulated 3D objects are now imported as meshes instead of CAD objects.
- **Import > DXF and DWG Files:** Performance of importing triangulated 3D objects has been significantly improved (time of import is reduced).

Bug Fixes

- **Generic > Command Dialog:** When pasting values in a vector coordinates field or a point coordinates field, the appropriate values are now taken into account.
- **Generic > Point cloud properties:** The point count of very large point clouds has been corrected.
- **Coord Syst > Free Move:** Fixed a bug that could make the mesh look corrupted after few rotation operations.
- **Import > DXF and DWG Files:** Texts from imported files are now in a correct position.
- **Reverse Engineering > Generate Patches:** Fixed a bug that created empty results when the input network contained self-intersections.
- **Surface Modeling > Refine Mesh:** Fixed a bug that could corrupt the input mesh.

Leica Cyclone 3DR 2021.0 Compatibility

- Cyclone 3DR is compatible with CLM 1.8 and higher.
- Cyclone 3DR is compatible with JetStream Enterprise 1.3 and higher.
- Cyclone 3DR is compatible with LGS files.
- Cyclone 3DR is compatible with Cyclone IMP databases from Cyclone 6.0 or higher, however improved rendering will only be seen with IMPs from Cyclone 9.3 or higher.

Recommended Computer Specifications

- CPU: 2 GHz Dual Quad Core i7 or higher (i5 minimum)
- RAM: minimum 16 GB or more for 64-bit OS
- Graphic Card: NVidia Quadro or GeForce 1 GB (with OpenGL support, versions 4.3 or higher)
- Operating system: Microsoft Windows 7, 8, 10 (64 bits supported)
- Hard Disk: 3 GB free disk space


Installation and Licensing Recommendations

Installation update Procedure

1. Follow the directions in the Setup Wizard




2. Select the option to update Cyclone 3DR (or repair if you want to change installing options)



3. Complete the installation by selecting "Finish".


Licensing Setup

1. Once you have installed Cyclone 3DR, open the Client License Manager for **Floating** Licenses. The program is located here: **Start Menu | All Programs | Leica Geosystems | Client License Manager**




***NOTE* Be sure to choose the CLM Floating option (there are two CLM options and the Nodelocked CLM will not activate your license)**


2. Choose the "Activate new licenses" option.




3. Enter your Entitlement ID (EID) in the field. To enter multiple EIDs separate them with a semicolon ";" and no space.




- After you have entered your EID, choose the "Check for Activatable licenses" button in the bottom right of the page




- Once your licenses are activated you can launch Cyclone 3DR.
- Go to Settings and select License.




- If you have entered the EID inside your local CLM, select **Localhost**. If the license is on a dedicated server, enter the server name in **Server Address**.




8. You can select the features you want to check out from CLM. The available options to checkout will correspond to the options you purchased which are contained in your EID.



9. Once the options are selected, click on **Activate license**.



10. When a new version is available, click **Check for Updated**. A dialog will appear which links you to the Leica Geosystems website in order to download the new version:



Licensing

All users with valid CCP or CCP which was valid as of 1 August 2020 for Cyclone 3DR, can run this new version of Cyclone 3DR.

All users with valid CCP or CCP which was valid as of 1 August 2020 for 3DReshaper, can run this new version of Cyclone 3DR with no new license required.

Users with 3DReshaper licenses with expired CCP must migrate to Cyclone 3DR in order to continue to access updates and support. Please contact your sales or support personnel for more information.

Known Issues

For the initial release of Cyclone 3DR, certain 3DReshaper features are not yet enabled. These features will be added to Cyclone 3DR in future releases. Cyclone 3DR will reach core feature parity with 3DReshaper. The following differences exist:

- The Documentation Center is only available in English.
- Some CAD import and export issues might happen. For example, when exporting a cloud in DXF, some entities might be missing. To avoid this, it is preferable to use the Send to AutoCAD option.
- If DXF can be imported with a standard version, DWG requires the AEC or PRO Edition. One workaround is to use the 3DSend command from AutoCAD to Cyclone 3DR.
- .RSH files are natively compatible with Cyclone 3DR, and the last version of 3DReshaper is compatible with .3DR files (with a limit on textures and CAD objects).

Leica Cyclone 3DR supported file formats

Please reference the Cyclone 3DR Technical Specification for a complete list of supported file types per license.

	Import	Export
Point Cloud	Files ASCII (*.asc, *.csv, *.xyz, *.xyz...) Leica Geosystems (*.pts, *.ptx) and LGS (*.lgs) Leica Nova MS50/60 (*.sdb, *.xml) ShapeGrabber (*.3pi) 3DReshaper binary file (*.nsd) AutoDesk DXF (*.dxf) STL (*.stl) Polyworks (*.psl) Leica T-Scan + Steinbichler (*.ac) LIDAR data (*.las; laz) Other ASCII (*.*) Zoller and Fröhlich (*.zfs - *.zfc) PLY points without triangles (*.ply) ESRI ASCII (raster format *.asc) FARO (*.fls - *.fws) POLYWORKS (*.psl) E57 (*.E57 files) LandXML files (*.xml) DOT Products (*.dpl) RDBX	ASCII FILES (*.asc, *.csv...) Binary files (*.nsd) Leica Geosystems (*.pts, *.ptx) E57 (*.e57) IGES (*.igs) LAS (*.las) LAZ (*.laz) Autodesk DXF (*.dxf)
Mesh	STL format (*.stl) Binary PBI format (*.pbi) DXF 3Dface format (*.dxf) Ascii POLY format (*.poly) OBJ format (*.obj) Ascii Leica format (*.msh) VRML files (*.wrl / *.vrm / *.iv) OFF files (*.off) PLY (*.ply)	Ascii and binary STL format (*.stl) Binary PBI format (*.pbi) DXF 3Dface format (*.dxf) Ascii POLY format (*.poly) Vertices only (*.asc) DXF polyline (*.dxf) IV Format (*.IV) Ascii Leica format (*.msh) VRML 2 (*.wrl / *.vml / *.iv) PLY (*.ply) LandXML (*.xml) OBJ format (*.obj)
Contour / Section	IGES format DXF polyline format	IGES format DXF polyline format

	Binary MLI format (*.mli)	Binary MLI format (*.mli) ASCII formats
CAD Model	IGES STEP DWG IFC RVT	IGES STEP DXF
Project	Cyclone 3DR (*.3dr) DXF - DWG XML Cyclone ModelSpace View (from IMP) JetStream Enterprise project	Cyclone 3DR (*.3dr) DXF PDF 3D SKETCHFAB
Image	BMP JPEG JPG PNG	Ortho-image including georeferencing information as TXT file JPG JPEG BMP PNG TIF GIF

Cyclone 3DR provides “SendTo” features as well to import and export certain kind of data with third-party products. More information is available in Cyclone 3DR documentation center (from the software help menu).

	Send From	Send To
Point Cloud	-	-
Mesh / Surfaces	AUTODESK AutoCAD HEXAGON MineSight 3D	AUTODESK AutoCAD HEXAGON MineSight 3D
Contour / Section / Points	AUTODESK AutoCAD HEXAGON MineSight 3D	AUTODESK AutoCAD HEXAGON MineSight 3D
CAD Model	-	-
Project	-	-
Image	-	AUTODESK AutoCAD (orto-image)